

Līgums

Rīgā.

2015.gada 11. jūnijā

LU Cietvielu fizikas institūta
līgumu uzskaites Nr. 2015/23/ERAF-1
Iepirkuma identifikācijas Nr. LU CFI 2015/23/ERAF

SIA „Faneks”
līgumu uzskaites Nr. 030615

Latvijas Universitātes Cietvielu fizikas institūts (turpmāk tekstā LU CFI), nodokļu maksātāja reģistrācijas Nr.LV90002124925, tā direktora Andra Šternberga personā, kurš rīkojas saskaņā ar LU CFI nolikumu, turpmāk šā līguma tekstā saukts **Pasūtītājs**, no vienas puses, un

SIA „Faneks”, nodokļu maksātāja reģistrācijas Nr. LV40002012606, tās valdes locekļa Jūlija Šatca personā, kurš rīkojas saskaņā ar statūtiem, turpmāk šā līguma tekstā saukts **Piegādātājs**, no otras puses,

turpmāk šā līguma tekstā saukts **Piegādātājs**, no otras puses,

abi kopā un katrs atsevišķi saukti par **Puse/Puses**, pamatojoties uz **Pasūtītāja** rīkotā iepirkuma Nr. LU CFI 2015/23/ERAF „Materiālu piegāde” rezultātiem un **Piegādātāja** iesniegto piedāvājumu par iepirkuma 1. daļu,

ERAF līdzfinansēta projekta Nr.2014/0047/2DP/2.1.1.1.0/14/APIA/VIAA/007 „Jauni luminiscenti materiāli gāzu sensoriem un starojuma konvertoriem” realizācijai

noslēdz šādu līgumu, turpmāk tekstā saukts **Līgums**:

1. LĪGUMA PRIEKŠMETS

1.1. **Piegādātājs** pārdod, bet **Pasūtītājs** pērk **Optiskās detaļas (1): Optiskos filtrus** atbilstoši šī **Līguma** 1.pielikumā dotajai tehniskajai specifikācijai (turpmāk tekstā - **Prece**).

1.2. **Līguma** summa, ieskaitot nodokļus un nodevas, ar kurām tiek aplikta **Prece**, un visus citus ar **Līguma** izpildi saistītos izdevumus, ir 8 782,18 EUR (astoņi tūkstoši septiņi simti astoņdesmit divi eiro un 18 centi), tai skaitā PVN 21% (divdesmit viens procents) 1 524,18 EUR (tūkstotis pieci simti divdesmit četri eiro un 18 centi), turpmāk šā **Līguma** tekstā saukta **Līgumcena**.

1.3. **Līgums** ir spēkā 1 mēnesi, skaitot no **Līguma** noslēgšanas dienas vai līdz visu **Līgumā** paredzēto **Preču** piegādei, ja tas notiek agrāk.

2. PIEGĀDES NOSACĪJUMI UN APMAKSAS KĀRTĪBA

2.1. **Prece Pasūtītājam** tiek piegādāta Rīgā, Ķengaraga ielā 8, LU CFI telpās. Piegāde ir bez papildus maksas.

2.2. **Preču** piegādes ir paredzētas partijās, pēc **Pasūtītāja** pieprasījuma.

2.3. Apmaksas veids – pēcapmaksa, 15 dienu laikā pēc piegādes.

3. CITI NOTEIKUMI

3.1. Par apmaksas termiņa neievērošanu vai par **Preces** piegādes kavējumu vainīgā līgumslēdzēja puse pēc pirmā otras puses pieprasījuma, maksā otrai pusei līgumsodu 0,5% (procenta piecu desmitdaļu) apmērā no maksājuma summas vai piegādes apjoma par katru nokavēto dienu, bet ne vairāk kā 10% no līgumcenas. Līgumsoda samaksa neatbrīvo no **Līguma** saistību izpildes.

3.2. Ja **Līgumā** nepieciešams veikt grozījumus, tie jāveic ievērojot Publisko iepirkumu likuma 67¹. panta noteikumus.

3.3. Gadījumā, kad rodas nepārvaramas varas apstākļi, kurus **Puses** nevarēja paredzēt un novērst ar saviem līdzekļiem, līgumsaistību izpildes laiks pagarinās par periodu, kurā pastāv nepārvaramas varas radītie apstākļi. Ja nepārvaramas varas apstākļi pastāv ilgāk kā 3 (trīs) mēnešus, **Līguma** darbība tiek izbeigta un **Puses** veic savstarpējo norēķinu atbilstoši faktiski piegādātajai **Precei**.

3.4. Visi strīdi un domstarpības, kādas **Pusēm** radušās šā **Līguma** izpildes gaitā, un nav atrisināmas pārrunu ceļā 30 dienu laikā, tiek izskatītas Latvijas Republikas tiesu iestādēs, Latvijas Republikas normatīvajos aktos paredzētajā kārtībā.

3.5. **Līgums** sastādīts divos eksemplāros, katrs uz 2 (divām) lapaspusēm, ar vienādu juridisku spēku, no kuriem viens glabājas pie **Pasūtītāja**, viens pie **Piegādātāja**. **Līguma** 1.pielikums „Tehniskā specifikācija un cenas” un 2.pielikums „Pieņemšanas – nodošanas akts” ir tā neatņemamas sastāvdaļas.

3.6. **Pasūtītājs** par atbildīgo personu šī **Līguma** izpildes laikā nozīmē Valdi Korsaku, tālrunis 26437272, e-pasts valdis.korsaks@cfi.lu.lv. Atbildīgā persona pa e-pastu veic **Preču** partiju pasūtījumus, pieņem **Preces** un paraksta **Preču** pavadzīmes.

3.7. **Piegādātājs** par atbildīgo personu šī **Līguma** izpildes laikā nozīmē Jūliju Šatcu, tālrunis 67334747, e-pasts: julij@faneks.lv.

4. LĪGUMSLĒDZĒJU PUŠU JURIDISKĀS ADRESES UN CITI REKVIZĪTI

Pasūtītājs:	Piegādātājs:
Latvijas Universitātes Cietvielu fizikas institūts	SIA „Faneks”
Juridiskā adrese: Ķengaraga iela 8, Rīga, LV-1063	Juridiskā adrese: Kalna iela 17-1, Rīga, LV-1003
PVN reģ.Nr. LV90002124925	PVN reģ.Nr.: LV40002012606
Norēķinu konts: LV06 TREL 9150 2190 2000 B Banka: Valsts kase	Norēķinu konts: LV63 HABA 0001 4090 3573 7 Banka: AS Swedbank
Bankas kods: TREL LV22	Bankas kods: HABALV22

Pasūtītājs:



Andris Sternbergs

Piegādātājs:



Jūlijs Šatcs

FINANŠU PIEDĀVĀJUMS

1.daļa: Optiskās detaļas (1): Optiskie filtri

N. p.k.	Pasūtītāja prasības		Piedāvājums (aizpilda pretendents, norādot ražotāju vai starptautisko izplatītāju un marku vai kataloga numuru)	Cena bez PVN, EUR	Summa bez PVN, EUR
	Minimālās tehniskās prasības (produkta nosaukums un veids)	Daudzums *			
1	Bandpass Interference filter, center wavelength 200 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 200FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 200 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 200FS10-25.	255,00	255,00
2	Bandpass Interference filter, center wavelength 400 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 400FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 400 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 400FS10-50.	234,00	234,00
3	Bandpass Interference filter, center wavelength 420 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 420FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 420 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 420FS10-50.	234,00	234,00
4	Bandpass Interference filter, center wavelength 440 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 440FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 440 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 440FS10-50.	234,00	234,00

5	Bandpass Interference filter, center wavelength 460 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 460FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 460 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 460FS10-50.	234,00	234,00
6	Bandpass Interference filter, center wavelength 480 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 480FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 480 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 480FS10-50.	234,00	234,00
7	Bandpass Interference filter, center wavelength 500 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 500FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 500 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 500FS10-50.	234,00	234,00
8	Bandpass Interference filter, center wavelength 520 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 520FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 520 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 520FS10-50.	234,00	234,00
9	Bandpass Interference filter, center wavelength 540 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 540FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 540 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 540FS10-50.	234,00	234,00

10	Bandpass Interference filter, center wavelength 560 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, www.andovercorp.com/products, 560FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 560 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, www.andovercorp.com/products, 560FS10-50.	234,00	234,00
11	Bandpass Interference filter, center wavelength 580 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 580FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 580 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 580FS10-50.	234,00	234,00
12	Bandpass Interference filter, center wavelength 600 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 600FS10-50 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 600 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 50 mm, www.unice.com.tw, www.andovercorp.com/products, 600FS10-50.	234,00	234,00
13	Bandpass Interference filter, center wavelength 228 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 228FS25-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 228 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 228FS25-25.	255,00	255,00
14	Bandpass Interference filter, center wavelength 253.7 nm, bandwidth 40 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 254FS40-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 253.7 nm, bandwidth 40 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 254FS40-25.	216,00	216,00

15	Bandpass Interference filter, center wavelength 265 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 265FS25-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 265 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 265FS25-25.	216,00	216,00
16	Bandpass Interference filter, center wavelength 280 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 280FS25-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 280 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 280FS25-25.	216,00	216,00
17	Bandpass Interference filter, center wavelength 300 nm, bandwidth 40 nm, optical density of blocking??, mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, www.andovercorp.com/products, 300FS40-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 300 nm, bandwidth 40 nm, optical density of blocking??, mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, www.andovercorp.com/products, 300FS40-25.	216,00	216,00
18	Bandpass Interference filter, center wavelength 313 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 313FS25-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 313 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 313FS25-25.	216,00	216,00
19	Bandpass Interference filter, center wavelength 340 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 340FS25-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 340 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 340FS25-25.	185,00	185,00

20	Bandpass Interference filter, center wavelength 365 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 365FS25-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 365 nm, bandwidth 25 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 365FS25-25.	185,00	185,00
21	Bandpass Interference filter, center wavelength 620 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 620FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 620 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 620FS10-25.	114,00	114,00
22	Bandpass Interference filter, center wavelength 640 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 640FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 640 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 640FS10-25.	114,00	114,00
23	Bandpass Interference filter, center wavelength 660 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 660FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 660 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 660FS10-25.	114,00	114,00
24	Bandpass Interference filter, center wavelength 680 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 680FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 680 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 680FS10-25.	114,00	114,00

25	Bandpass Interference filter, center wavelength 700 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 700FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 700 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 700FS10-25.	114,00	114,00
26	Bandpass Interference filter, center wavelength 750 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 750FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 750 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 750FS10-25.	140,00	140,00
27	Bandpass Interference filter, center wavelength 770 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 770FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 770 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 770FS10-25.	150,00	150,00
28	Bandpass Interference filter, center wavelength 800 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 800FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 800 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 800FS10-25.	140,00	140,00
29	Bandpass Interference filter, center wavelength 820 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 820FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 820 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 820FS10-25.	140,00	140,00

30	Bandpass Interference filter, center wavelength 850 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 850FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 850 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 850FS10-25.	140,00	140,00
31	Bandpass Interference filter, center wavelength 870 nm, bandwidth 10 nm, sblocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 870FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 870 nm, bandwidth 10 nm, sblocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 870FS10-25.	140,00	140,00
32	Bandpass Interference filter, center wavelength 900 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 900FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 900 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 900FS10-25.	140,00	140,00
33	Bandpass Interference filter, center wavelength 950 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 950FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 950 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 950FS10-25.	143,00	143,00
34	Bandpass Interference filter, center wavelength 1000 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 1000FS10-25 vai ekvivalents.	1 gab.	Bandpass Interference filter, center wavelength 1000 nm, bandwidth 10 nm, blocking 1×10^{-4} avg., mounted diameter 25 mm, www.unice.com.tw, www.andovercorp.com/products, 1000FS10-25.	171,00	171,00
35	Neutral density (absorptive) filter, optical density 0.50, mounted diameter 25,4 mm; www.unice.com.tw, NDA-0.50-25.4 vai ekvivalents.	1 gab.	Neutral density (absorptive) filter, optical density 0.50, mounted diameter 25,4 mm; www.unice.com.tw, NDA-0.50-25.4.	250,00	250,00

36	Narrow bandpass filter, center wavelength 532 nm, bandwidth 3 nm, peak transmittance 50 %; blocking ,0.01%, mounted diameter 25.4 mm; BP532 at www.unice.com.tw vai ekvivalents.	1 gab.	Narrow bandpass filter, center wavelength 532 nm, bandwidth 3 nm, peak transmittance 50 %; blocking, 0.01%, mounted diameter 25.4 mm; BP532 at www.unice.com.tw .	300,00	300,00
37	Narrow bandpass filter, center wavelength 265.2 nm, bandwidth 12 nm, peak transmittance 12 %; blocking ,0.01%, mounted diameter 25.4 mm; BP265 at www.unice.com.tw vai ekvivalents.	1 gab.	Narrow bandpass filter, center wavelength 265.2 nm, bandwidth 12 nm, peak transmittance 12 %; blocking ,0.01%, mounted diameter 25.4 mm; BP265 at www.unice.com.tw .	300,00	300,00
1.daļa kopā, bez PVN, EUR					7258,00
21% PVN, EUR					1524,18
1.daļa kopā, ar 21% PVN, EUR					8782,18



Pasūtītājs:

Z.v.

Andris Šternbergs

Piegādātājs:

Z.v.

Jūlijs Šates

